

TEST REPORT

REPORT NUMBER : TURA160202016

APPLICANT NAME : Pluskim Kimya San.Tic.A.Ş.

ADDRESS : Cumhuriyet Mah.Nazım Hikmet Bulv. Concepto Plaza A Blok No:91Esenyurt İstanbul /
TURKEY
TEL:0545 547 00 39FAX:0212 853 76 61

Attention : Serkan Türkyılmaz (serkan.turkyilmaz@pluskim.com.tr)

SAMPLE DESCRIPTION :

Sample 1 One sample of Black powder item (A)

Sample 2 One sample of Black liquid item (B)

DATE IN : 25 November ,2016 (15:00)

DATE OUT : 30 November ,2016

TEST	SAMPLE	
	1	2
Phthalate Content (Footwear)	P	P

P = MEETS BUYER' S REQUIREMENT / F = DOES NOT MEET BUYER' S REQUIREMENT / NR = NO REQUIREMENT / SC=STILL CONTINUES / X=NOT PERFORMED / NA = NOT APPLICABLE / LS = LACK OF SAMPLE / NC = NO COMMENT / I = INCONCLUSIVE / # = SEE RESULT / NF = NEEDS FURTHER TESTING / A = ABSENT / M = MARGINAL ACCEPT / SD = SEE DETAILS ENCLOSED / FS: FURTHER STEPS

This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for which it is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at <http://www.intertek.com/terms>. The reported uncertainty is based on a standard uncertainty multiplied by a coverage factor k=2, providing a level of confidence of approximately 95%. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TÜRKAK accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline. Borderline results need to be re-tested to determine their disposition up to customer's decision. Opinions and interpretations expressed herein are outside the scope of TÜRKAK accreditation. Tests marked (*) in this test report are not included in the TÜRKAK accreditation schedule for this laboratory.

Hunay FUATOĞLU
Customer Care ExecutiveZeynep AKIN
Chemical Laboratory Manager

Intertek Test Hizmetleri A.S.
Merkez Mahallesi Sanayi Cad. No.23 Altındag Plaza Yenibosna-34197 /ISTANBUL
Phone : +90 212 496 46 46 Fax: +90 212 452 80 55
e-mail : intertekcg.turkiye@intertek.com



160202016

Test Method	Results	Requirements
-------------	---------	--------------

Phthalate Content (Footwear)

CPSC-CH-C1001-09.3 : 2010 Method by Gas Chromotography - Mass Spectrometry (GC-MS) Analysis

Sample 1

	CAS No	RESULT (% , w/w)
DIBUTYL PHTHALATE (DBP)	84-74-2	ND
DIETHYL HEXYL PHTHALATE (DEHP)	117-81-7	237 ppm
BENZYL BUTYL PHTHALATE (BBP)	85-68-7	ND
DI-ISO-NONYL PHTHALATE (DINP)	28553-12-0	ND
DI-N-OCTYL PHTHALATE (DNOP)	117-84-0	ND
DI-ISO-DECYL PHTHALATE (DIDP)	26761-40-0	ND
SUM OF SIX PHTHALATES		237 ppm
LIMIT (MAX.)		TOTAL 0,1% (1000 ppm)

ppm (part per million) =mg / kg
 < =Less Than * =EXCEEDED LIMIT ND : Not Detected
 Detection Limit : 60 ppm

Estimated Total Uncertainty=(±5%)

Test Method	Results	Requirements
-------------	---------	--------------

Phthalate Content (Footwear)

CPSC-CH-C1001-09.3 : 2010 Method by Gas Chromotography - Mass Spectrometry (GC-MS) Analysis

Sample 2

	CAS No	RESULT (% , w/w)
DIBUTYL PHTHALATE (DBP)	84-74-2	ND
DIETHYL HEXYL PHTHALATE (DEHP)	117-81-7	468 ppm
BENZYL BUTYL PHTHALATE (BBP)	85-68-7	ND
DI-ISO-NONYL PHTHALATE (DINP)	28553-12-0	ND
DI-N-OCTYL PHTHALATE (DNOP)	117-84-0	ND
DI-ISO-DECYL PHTHALATE (DIDP)	26761-40-0	ND
SUM OF SIX PHTHALATES		468 ppm
LIMIT (MAX.)		TOTAL 0,1% (1000 ppm)

ppm (part per million) =mg / kg
 < =Less Than * =EXCEEDED LIMIT ND : Not Detected
 Detection Limit : 60 ppm

Estimated Total Uncertainty=(±5%)

END OF TEST REPORT